


Pleasant Bay Group



Watershed Scenarios

Public Meetings


Watershed Working Groups



RLI Regulatory, Legal & Institutional Work Group

TAC Technical Advisory Committee of Cape Cod Water Protection Collaborative

208 Planning Process



Watershed
Scenarios


11 Working
Group Meetings:
Dec 2-11

Goal of Today's Meeting:


-
- To discuss the approach for developing watershed scenarios that will remediate water quality impairments in your watersheds.
 - To identify preferences, advantages and disadvantages of a set of scenarios of different technologies and approaches, and
 - To develop a set of adaptive management principles to guide sub-regional groups in refining scenarios for the 208 Plan.

208 Planning Process

Traditional Approach




Non-Traditional Approach



Fertilizer Reduction

Stormwater Reduction



- Wastewater
- Stormwater
- Existing Water Bodies
- Regulatory

Site Scale

Neighborhood

Watershed

Cape-Wide

Prevention

Remediation of Existing Development

Fertilizer Management

TDR Transfer of Development Rights

Stormwater BMPs

Reduction

Standard Title 5 Systems

Cluster & Satellite Treatment Systems

Conventional Treatment

I/A Title 5 Systems

STEP/STEG Collection

Advanced Treatment

I/A Enhanced Systems

Wastewater Collection Systems

Effluent Disposal Systems

Toilets: Composting

Constructed Wetlands: Surface Flow

Toilets: Packaging

Constructed Wetlands: Subsurface Flow

Stormwater: Detention and Infiltration

Effluent Disposal: Out of Watershed/Ocean Outfall

Stormwater: Wetlands

Phytoirrigation

Eco-Machines & Living Machines

Remediation

Phytobuffers

Fertigation Wells

Permeable Reactive Barrier

Shellfish and Salt Marsh Habitat Restoration

Aquaculture/Shellfish Farming

Inlet / Culvert Widening

Pond and Estuary Dredging

Surface Water Remediation Wetlands

Traditional Approach

- Wastewater
- Stormwater
- Existing Water Bodies
- Regulatory

Site Scale

Neighborhood

Watershed

Cape-Wide

Prevention



Compact Development



Remediation of Existing Development



Fertilizer Management



Transfer of Development Rights



Stormwater BMPs

Reduction



Standard Title 5 Systems



Cluster & Satellite Treatment Systems



Conventional Treatment



I/A Title 5 Systems



STEP/STEG Collection



Advanced Treatment



I/A Enhanced Systems



Wastewater Collection Systems



Effluent Disposal Systems



Toilets: Urine Diverting



Toilets: Composting



Constructed Wetlands: Surface Flow



Toilets: Packaging



Constructed Wetlands: Subsurface Flow



Stormwater: Bioretention / Soil Media Filters



Effluent Disposal: Out of Watershed/Ocean Outfall



Stormwater: Wetlands



Phytoirrigation



Eco-Machines & Living Machines



Phytobuffers



Fertigation Wells



Permeable Reactive Barrier



Shellfish and Salt Marsh Habitat Restoration



Aquaculture/Shellfish Farming

Remediation



Inlet / Culvert Widening



Pond and Estuary Dredging



Surface Water Remediation Wetlands

Traditional Approach Plus Fertilizer & Stormwater Reduction



Wastewater




Stormwater



Existing Water Bodies



Regulatory



Non-Traditional Approaches

- Wastewater
- Stormwater
- Existing Water Bodies
- Regulatory

Site Scale

Neighborhood

Watershed

Cape-Wide

Prevention

Regulatory

Remediation of Existing Development

Fertilizer Management

TDR Transfer of Development Rights

Stormwater BMPs

Reduction

Title 5 Standard Title 5 Systems

Cluster & Satellite Treatment Systems

Conventional Treatment

IA I/A Title 5 Systems

STEP/STEG STEP/STEG Collection

Advanced Treatment

Enhanced IA I/A Enhanced Systems

Wastewater Collection Systems

Disposal Effluent Disposal Systems

Toilets

Toilets: Composting

Constructed Wetlands: Surface Flow

Toilets: Packaging

Constructed Wetlands: Subsurface Flow

Stormwater: Wetlands

Effluent Disposal: Out of Watershed/Ocean Outfall

Stormwater: Wetlands

Phytoirrigation

EM Eco-Machines & Living Machines

Remediation

Phytobuffers

Fertigation Wells

PRB Permeable Reactive Barrier

Shellfish and Salt Marsh Habitat Restoration

Aquaculture/Shellfish Farming

Inlet / Culvert Widening


Pond and Estuary Dredging

R Surface Water Remediation Wetlands


Traditional Approach

- Wastewater
- Stormwater
- Existing Water Bodies
- Regulatory


Watershed-Wide Innovative/Alternative (I/A) Onsite Systems




Watershed-Wide Centralized Treatment with Disposal Inside the Watershed





Watershed-Wide (Muddy Creek) Innovative/Alternative (I/A)



Watershed-Wide (Muddy Creek) Centralized Treatment with Disposal Inside the Watershed







Subwatershed 1




Example Septic Load:
50 kg/yr

Subwatershed 2

Subwatershed 3


Subwatershed 4

Subwatershed 5




Example Septic Load:
50 kg/yr
3.125 kg/yr reaches bay
(6%)

Ponds attenuate 50% of the Nitrogen
watershed load they receive



Targeted Centralized Treatment with Disposal in Harwich



Site Scale

Neighborhood

Watershed

Cape-Wide

Prevention



Compact Development



Remediation of Existing Development



Fertilizer Management



TDR
Transfer of Development Rights



Stormwater BMPs

Reduction



Standard Title 5 Systems



Cluster & Satellite Treatment Systems



Conventional Treatment



I/A Title 5 Systems



STEP/STEG Collection



Advanced Treatment



I/A Enhanced Systems



Wastewater Collection Systems



Toilets: Urine Diverting



Effluent Disposal Systems



Toilets: Composting



Constructed Wetlands: Surface Flow



Toilets: Packaging



Constructed Wetlands: Subsurface Flow



Stormwater: Bioretention / Soil Media Filters



Effluent Disposal: Out of Watershed/Ocean Outfall



Stormwater: Wetlands



Phytoremediation



Eco-Machines & Living Machines

Remediation



Phytobuffers



Fertigation Wells



Permeable Reactive Barrier



Shellfish and Salt Marsh Habitat Restoration



Aquaculture/Shellfish Farming



Inlet / Culvert Widening



Pond and Estuary Dredging



Surface Water Remediation Wetlands

Traditional Approach Plus Fertilizer & Stormwater Reduction



Wastewater



Stormwater




Existing Water Bodies



Regulatory

Targeted Centralized Treatment with a 50% Reduction in Fertilizer and Stormwater



Site Scale

Neighborhood

Watershed

Cape-Wide

Prevention

	Compact Development		Remediation of Existing Development		Fertilizer Management
			TDR Transfer of Development Rights		Stormwater BMPs

Reduction

	Standard Title 5 Systems		Cluster & Satellite Treatment Systems		Conventional Treatment
	I/A Title 5 Systems		STEP/STEG Collection		Advanced Treatment
	I/A Enhanced Systems				Wastewater Collection Systems
	Toilets: Urine Diverting				Effluent Disposal Systems
	Toilets: Composting		Constructed Wetlands: Surface Flow		
	Toilets: Packaging		Constructed Wetlands: Subsurface Flow		
	Stormwater: Bioretention / Soil Media Filters			Effluent Disposal: Out of Watershed/Ocean Outfall	
			Stormwater: Wetlands		Phytoirrigation
	Eco-Machines & Living Machines				

Remediation

	Phytobuffers			Fertigation Wells	
	Permeable Reactive Barrier			Shellfish and Salt Marsh Habitat Restoration	
				Aquaculture/Shellfish Farming	
		Inlet / Culvert Widening			
		Pond and Estuary Dredging			
		Surface Water Remediation Wetlands			

Non-Traditional Approaches

- Wastewater
- Stormwater
- Existing Water Bodies
- Regulatory

Problem Solving Approach

1
2
3
4
5
6
7



Wastewater



Existing Water Bodies



Regulatory

Targets/Reduction Goals

Present Load: X kg/day **−** **Target:** Y kg/day **=** **Reduction Required:** N kg/day

Other Wastewater Management Needs

- A. Title 5 Problem Areas
- B. Pond Recharge Areas
- C. Growth Management

Low Barrier to Implementation

- A. Fertilizer Management
- B. Stormwater Mitigation



Watershed/Embayment Options

- A. Permeable Reactive Barriers
- B. Inlet/Culvert Openings
- C. Constructed Wetlands
- D. Aquaculture



Alternative On-Site Options

- A. Eco-toilets (UD & Compost)
- B. I/A Technologies
- C. Enhanced I/A Technologies
- D. Shared Systems



Priority Collection/High-Density Areas

- A. Greater Than 1 Dwelling Unit/acre
- B. Village Centers
- C. Economic Centers
- D. Growth Incentive Zones



Supplemental Sewering



Watershed Calculator**Muddy Creek****MEP Targets and Goals:**

Present Total Nitrogen

Load:

wastewater

fertilizer

stormwater

Target Nitrogen Load:

Chatham Portion to WWTF

Nitrogen Removal Required:

Total Number of Properties:

1408

kg/day**Nitrogen (kg/yr)**

18.458

6,737

13.496

4,926

612

776

6.751

2,464

1,785

6.817**2,488**

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		

Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		

Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Low Barrier to Implementation:	Reduction by Technology (Kg/yr)	Remaining to Meet Target (Kg/yr)	Unit Cost (\$/lb N)
Fertilizer Management	306	2,182	
Stormwater Mitigation	388	1,794	

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		

Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Low Barrier to Implementation:	Reduction by Technology (Kg/yr)	Remaining to Meet Target (Kg/yr)	Unit Cost (\$/lb N)
Fertilizer Management	306	2,182	
Stormwater Mitigation	388	1,794	

Watershed/Embayment Options:			
Constructed Wetlands	1.5 acres	849	945
			\$521

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		

Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Low Barrier to Implementation:	Reduction by Technology (Kg/yr)	Remaining to Meet Target (Kg/yr)	Unit Cost (\$/lb N)
Fertilizer Management	306	2,182	
Stormwater Mitigation	388	1,794	

Watershed/Embayment Options:					
Constructed Wetlands	1.5 acres	849	945		\$521
Oyster Beds/Aquaculture	2 acres	500	445		\$0

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		

Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Low Barrier to Implementation:	Reduction by Technology (Kg/yr)	Remaining to Meet Target (Kg/yr)	Unit Cost (\$/lb N)
Fertilizer Management	306	2,182	
Stormwater Mitigation	388	1,794	

Watershed/Embayment Options:					
Constructed Wetlands	1.5 acres	849	945		\$521
Oyster Beds/Aquaculture	2 acres	500	445		\$0
Floating Constructed Wetlands	1000 cu feet	450	-5		\$61

Watershed Calculator Muddy Creek

MEP Targets and Goals:		kg/day	Nitrogen (kg/yr)
Present Total Nitrogen Load:		18.458	6,737
wastewater		13.496	4,926
fertilizer			612
stormwater			776
Target Nitrogen Load:		6.751	2,464
Chatham Portion to WWTF		1,785	
Nitrogen Removal Required:		6.817	2,488
Total Number of Properties:	1408		


Other Wastewater Management Needs	Ponds	Title 5 Problem Areas	Growth Management
--	-------	-----------------------	-------------------

Low Barrier to Implementation:	Reduction by Technology (Kg/yr)	Remaining to Meet Target (Kg/yr)	Unit Cost (\$/lb N)
Fertilizer Management	306	2,182	
Stormwater Mitigation	388	1,794	

Watershed/Embayment Options:					
Constructed Wetlands	1.5 acres	849	945		\$521
Oyster Beds/Aquaculture	2 acres	500	445		\$0
Floating Constructed Wetlands	1000 cu feet	450	-5		\$61


Sewering	-1 homes	-5	0		\$1,000
-----------------	----------	----	---	--	---------

Targeted Centralized Treatment after Applying Alternative Strategies




Scenario Comparison

Targeted Collection




- Achieves TMDL¹
- Cost/lb N = \$600
- Treated Flow = 145,000 gpd

Targeted Collection after a 50% reduction in fertilizer and stormwater



- Achieves TMDL¹
- Cost/lb N = \$600
- Treated Flow = 125,000 gpd

Targeted Collection after a 50% reduction in fertilizer and stormwater & after applying alternative approaches



- Achieves TMDL¹
- Cost/lb N = \$750
- Treated Flow = 20,000 gpd

¹ within 5% of goal

Adaptive Management:

A structured approach for addressing uncertainties by linking science and monitoring to decision-making and adjusting implementation, as necessary, to increase the probability of meeting water quality goals in a cost effective and efficient way.



Triple Bottom Line (TBL) Introduction

What is triple bottom line analysis?

Triple Bottom Line Analysis
Provides a full accounting of the financial, social, and environmental consequences of investments or policies

Often "TBL" analysis is used to identify the best alternative and to report to stakeholders on the public outcomes of a given investment.

Economic development / employment


Air quality

Water quality

TBL

Community development



Natural Resources





Why develop a TBL model?

- To consider the financial, environmental, and social consequences of water quality investments and policies in Cape Cod.
- TBL Model evaluates the “ancillary” or downstream consequences of water quality investments not the direct Phosphorous or Nitrogen levels.





Triple Bottom Line (TBL) Assessment Model

Environmental + Social + Financial Sustainability



HOME

MODEL INPUTS

CRITERIA EVALUATION

SCENARIO BUILDER

COMPARE SCENARIOS

TBL DATABASE

Alternative Definition

Alternative Results

Alternative Scoring Rules

Criterion Scores

SOCIAL	
System Resilience	S1
Employment	S2
Ratepayer Distribution	S3
Recreation and Open Space	S4
Property Values	S5
Fiscal Impacts	S6
ENVIRONMENTAL	
Marine Water	E1
Fresh Water	E2
Habitat	E3
Climate	E4
FINANCIAL	
Municipal Capital Costs	F1
Municipal Other Costs	F2
Property Owner Capital Costs	F3
Property Owner Other Costs	F4

Strategy/Technology Distribution

Scenario 1

Minimum Cost



Scenario 2

Cost Effective



Scenario 3

Maximum Performance



COST & PERFORMANCE

Nitrogen Reduction %	30%	52%	61%
Remaining Nitrogen Load (Kg N)	8,400	5,760	4,680
Life Cycle Costs (\$K)	\$5,922	\$7,350	\$9,800
Municipal O&M Cost (\$K)	\$325	\$425	\$610
Municipal Project Cost (\$K)	\$1,329	\$1,600	\$1,800
Property Owner O&M Cost (\$K)	\$98	\$128	\$183
Property Owner Project Cost (\$K)	\$397	\$480	\$540
COMMUNITY BENEFITS			
Quality Habitat (acres)	0.5	1.8	2.4
New Open Space Added (acres)	1.5	4.6	5.0
GHG Reduced (MT CO2e/yr)	2.1	3.1	3.3
Avg. Increase in Property Value (\$/pty)	\$200	\$1,200	\$2,000
New Employment Added (jobs)	152	188	252
Additional Cost per Household (\$/HH/yr)	\$20	\$26	\$37

Subgroup Boundaries 208 Water Quality Management Plan Update



Lower Cape

- Herring River
- Pleasant Bay
- Stage Harbor Group
- Nauset and Cape Cod Bay Marsh Group

Mid Cape


- Cape Cod Bay Group
- Lewis Bay to Bass River
- Three Bays & Centerville River

Outer Cape

- Provincetown Harbor
- Wellfleet Harbor & Pamet River

Upper Cape

- Waquoit Bay & Popponesset Bay
- Upper Cape West & South



Area Boundaries
208 Water Quality Management Plan Update

- Lower Cape
- Mid Cape
- Outer Cape
- Upper Cape

